

Coiling Equipment Newsletter



PRODUCT FOCUS

BEM-CNC

Wire Bending and Forming




Wire Bending Machines features:

- Easy and Fast Wire Forming Production of Round
- Strip material can also be formed using optional accessories
- Programing is fast and accurate
- High Resolution Touch Screen control unit with big, clear command buttons makes it easy to load and save programs
- Push Button control starts each bending action
- Variable Speed control can be adjusted from 1% to 100%
- **Production Menu is** very intuitive. It shows:
 - ⇒ Progress Indicator
 - ⇒ Current Position Indication
 - ⇒ Sample Counter

Production Screen




Manual Screen



Gerry Wright Phone: 847-525-8891

Programming is quick and accurate using the touch control screen. It is easy to load and save programs.





PRODUCT FOCUS




BEM-CNC Wire Bending Machines, Music Wire from 4 mm to 20 mm

Model	BEM-12	BEM-14	BEM-16	BEM-20
Wire diameter acc. to EN 10270-1 DH ph	4 - 12 mm *	5 - 14 mm *	6 - 16 mm *	6 - 20 mm *
(ASTM A228 Music Wire - ca. 1300 N/mm²)	.157"472"	.197"551"	.236"629"	.236"787"
Max. wire diameter of soft wire (p.E. 50CrV4)	15 mm *	18 mm *	22 mm *	24 mm *
	.590"	.708"	.866"	.944"
Productivity	ca. 1,000 bends 360°	ca. 600 bends 360°	ca. 600 bends 360°	ca. 600 bends 360
	per hour	per hour	per hour	per hour
Drive by	servo	servo servo		servo
Accessoires incl. the price		Set of standard	bending tools	
Consumption	4 kW	5 kW	7 kW	8 kW
	3 x 400V / 50Hz	3 x 400V / 50Hz	3 x 400V / 50Hz	3 x 400V/50Hz
Weight	550 kg	600 kg	700 kg	900 kg
	1,212 lbs	1,322 lbs	1,543 lbs	1,984 lbs
Dimensions (L x W x H)		1 x 1.3 x 1 m 3.2 x 4.2 x 3.2 ft		

BEM CNC Video



BEM Standard Set of bending tools



https://vimeo.com/145616796



Coiling Equipment Newsletter



PRODUCT FOCUS





Looping Machines features:

- Easy Production of single German (machine) loops on pre-coiled spring
- Standard Set of Tooling
- **Setup DVD included** with each machine makes it easy for the operator to quickly learn how to operate and make loops with the machine
- **Looping Machines will work with Music Wire** Diameter ranging from 0.8 mm to 20 mm and a spring outer diameter from 5 mm to 240 mm

OBW-2 Manual Looper



Scan QR Code to see the OBW-2 and **OBW-6 Machine video**



OBW-4 Electric Looper



https://vimeo.com/145616805

OBW-8 Electric Looper



Gerry Wright Phone: 847-525-8891



https://vimeo.com/145616803

PRODUCT FOCUS





Looping Machines handle wire diameter from 0.8 mm to 20 mm and spring outer diameter from 5 mm to 240 mm

Model	OBW-2	OBW-4	OBW-6	OBW-8	MPK-12	MPK-16	MPK-20
Wire diameter acc. to EN 10270-1 DH ph (ASTM A228 Music Wire - ca. 1300 N/mm²)	0.8 - 2 mm .0314"0787"	2 - 4 mm .07878"157"	3 - 6 mm .118"236"	4 - 8 mm .157"315"	5 - 12 mm .197"472"	7 - 16 mm .276"630"	8 - 20 mm .315"787"
Spring outer diameter	5 - 24 mm .197"944"	10 - 41 mm .393" - 1.614"	15 - 62 mm .591" - 2.441"	22 - 90 mm .866" - 3.543"	25 - 150 mm .984" - 5.905"	35 - 180 mm 1.378" - 7.086"	40 - 240 mm 1.575" - 9.449"
Loop type	German (machine) English	German (machine)	German (machine)	German (machine)	German (machine)	German (machine)	German (machine)
Loop height	from 0.4 to 1x MD	from 0.4 to 1x MD	from 0.4 to 1x MD	from 0.4 to 1.2x MD	from 0.4 to 1x MD	from 0.4 to 1x MD	from 0.4 to 1x MD
Driven by	manual	electric motor	electric motor	electric motor	hydraulic	hydraulic	hydraulic
Size	0.5 x 0.2 x 0.05 m 1.6 x 0.6 x 0.16 ft	0.3 x 0.5 x 0.6 m 1 x 1.6 x 2 ft	0.4 x 0.6 x 0.7 m 1.3 x 2 x 2.3 ft	0.6 x 0.7 x 1 m 2 x 2.3 x 3.3 ft	1 x 1 x 1.8 m 3.3 x 3.3 x 5.9 ft	1 x 1 x 1.8 m 3.3 x 3.3 x 5.9 ft	1 x 1.6 x 2 m 3.3 x 5.2 x 6.6 ft
Weight	6 kg 13 lbs	50 kg 110 lbs	80 kg 176 lbs	250 kg 550 lbs	600 kg 1,320 lbs	800 kg 1,760 lbs	1,300 kg 2,860 lbs
Consumption		1.5 kW 3 x 400V / 50Hz	1.5 kW 3 x 400V / 50Hz	2.2 kW 3 x 400V / 50Hz	4 kW 3 x 400V / 50Hz	4 kW 3 x 400V / 50Hz	4 kW 3 x 400V / 50Hz

MPK-16 Hydraulic Looper

MPK-16 (symbolic picture) 1. Control panel Scan QR Code to see the MPK-20 Bending tooling Safety protection cover Hydraulic cylinder **Hydraulic Looping Machine video** MPK - 16 tools set



Fast Response

Time is important when you have an issue or a need!

We take pride in getting you an answer quickly when you contact us.

Whether you are looking for a replacement part, have a technical question or need a quote on the right machine for your spring making needs—we are ready to get you a timely response.

Go to our website, email or call Al or Gerry directly.



Gerry Wright

Al Uzumcu:

al@coilingequipment.com

Cell: 847-910-7348

Gerry Wright:

gerry@coilingequipment.com

Cell: 847-525-8891

https://coilingequipment.com/

Your Fast Response Team





Many machines and options are available

