

Coiling Equipment Newsletter



PRODUCT FOCUS

Spring Looping Machines

From small to large heavy springs, let us quote a looping machine that meets your needs



- Semi-automatic Production of single German (machine) loops on pre-coiled spring
- Standard Set of Tooling
- **Setup DVD included** with each machine makes it easy for the operator to quickly learn how to operate and make loops with the machine
- **Hydraulic Heavy Spring Looping Machines: Wire Diameter** range for ASTM A228 Music Wire from 0.197" to 0.787" and a spring O.D. from 0.984" to 9.449"



MPK-12 Hydraulic Looper		
Wire Diameter	0.197" to 0.472"	
Spring O.D.	0.984" to 5.905"	
Loop height	From 0.4 to 1xMD	
Power Consumption	4.0 kW	
Hourly Output	~500 pcs.	

MPK-16 Hydraulic Looper		
Wire Diameter	0.276" to 0.630"	
Spring O.D.	1.378" to 7.086"	
Loop height	From 0.4 to 1xMD	
Power Consumption	4.0 kW	
Hourly Output	~600 pcs.	

MPK-20 Hydraulic Looper		
Wire Diameter	0.315" to 0.787"	
Spring O.D.	1.575" to	
Loop height	From 0.4 to 1xMD	
Power Consumption	4.0 kW	
Hourly Output	~400 pcs.	






Custom built machinery & tooling for special loops and materials (CrSi) available upon request.

Watch MPK-20 Video: MPK-20 Hydraulic looping machines by Fortuna Federn on Vimeo



Coiling Equipment Newsletter







From small to large heavy springs, let us quote a looping machine that meets your needs

OBW Electric Looping Machines:

- **Semi-automatic Production of single German (machine)** loops on pre-coiled spring
- Standard Set of Tooling
- Setup DVD included with each machine makes it easy for the operator to quickly learn how to operate and make loops with the machine
- **Electric Looping Machines Wire Diameter range for ASTM A228 Music** from 0.07878" to 0.315" and a spring O.D. from 0.393" to 3.543"

attiais	4 10 10 10 10 10 10 10 10 10 10 10 10 10
ole upon	
Addition of the last	1 17 -
	-FF-
	OBW-4
, wa	w.fortungfedern.cum ~
OBW-4	
ODVV-4	

OBW-4		
Electric	Looper	
Wire Diameter	0.07878" to 0.157"	
Spring O.D.	0.393" to 1.614"	
Loop height	From 0.4 to 1xMD	
Power Consumption	1.5 kW	
Hourly Output	~600 pcs.	

	To L	9		A PACK
			2	۱
	800	1		
Lo	ading Spri	ng in	OBW-6	

OBW-6		
Electric Looper		
Wire Diameter	0.118" to 0.236"	
Spring O.D.	0.591" to 2.441"	
Loop height	From 0.4 to 1xMD	
Power Consumption	1.5 kW	
Hourly Output	~500 pcs.	

Activati	ng the OBW-	6 for the loop

OBW-8		
Electric Looper		
Wire Diameter	0.157" to 0.315"	
Spring O.D.	0.886" to	
Loop height	From 0.4 to 1xMD	
Power Consumption	2.2 kW	
Hourly Output	~400 pcs.	



Watch OBW-6 Video: https://vimeo.com/145616805



Coiling Equipment Newsletter

FORTUNA FEDERN

PRODUCT FOCUS

Spring Looping Machines

From small to large heavy springs, let us quote a looping machine that meets your needs



- Production of single German (machine) or English loops on pre-coiled springs
- Wire Diameter: 0.0314" 0.0787 ASTM A228 Music Wire
- Spring O.D.: 0.197" 0.944"
- Loop Height: from 0.4 to 1 x MD



- Easy to set up and operate.
- Standard Set of Tooling is included.
- Set-up DVD is included with the machine to help the operator quickly learn the operation of the machine.

OBW-2 Manually creating the loop

Watch OBW-2 Video: https://vimeo.com/145616805



Fast Response!

We recognize that a fast response is important when you have an issue or a need!

We take pride in getting you an answer quickly when you contact us.

Whether you are looking for a replacement part, have a technical question or need a quote on the right machine for your spring making needs—we are ready to get you a timely response.

Go to our website, email or call Al or Gerry directly.



Gerry Wright

Al Uzumcu:

al@coilingequipment.com

Cell: 847-910-7348

Gerry Wright:

gerry@coilingequipment.com

Cell: 847-525-8891

https://coilingequipment.com/

Your Fast Response Team





Many machines and options are available

