

Coiling Equipment Newsletter




INNOVATION



Innovation is defined as the process of bringing about new ideas, methods, products, services, or solutions that have a significant positive impact and value.

Fortuna Federn listens closely to our customers' needs. Our engineering team is continuously working on creative concepts so our machines perform to our customers' expectations for functionality and performance.



Introducing the Integrated **MPK/CMH Loop and Trim Work Station!**

Fortuna Federn's MPK/CMH Integrated Looping and Trimming Work Station features:


- Combined Looping and **Trimming in One Work Station.**
- Improved efficiency and productivity.
- **Space Saving on factory floor.**
- **Maintenance Savings:** 1 Machine vs. 2 Machines.





INTERGRATED MPK/CMH **LOOP and TRIM STATION**

MPK Hydraulic Loop Station:



The MPK Hydraulic Loop Station for semi-automatic production of single German (machine) loops on pre -coiled springs. Includes a standard set of tooling.

MPK-16 Hydraulic Loop Station	
Music Wire Diameter	0.276" to 0.630"
Spring O.D.	1.378" to 7.086"
Loop height	From 0.4 to 1xMD
Hourly Output	~ 600 pcs.

CMH Hydraulic Trim Station:



The CMH Hydraulic Trim Station for cutting off the springs, spring ends and spring legs.

CMH-16 Hydraulic Trim Station		
Music Wire Diameter	Up to 0.630"	
Spring O.D.	1.378" to 7.086"	
Hourly Output	~ 600 pcs.	


Requires just one power connection of 4 kW that will power both work stations





INTERGRATED MPK/CMH **LOOP and TRIM STATION**

MPK/CMH Integrated Looper/Trimmer Work Station



MPK-16 Looper

CMH-16 Trimmer

Back View of Looper / Trimmer

Are you interested in learning more about the new MPK/CMH Looping and Trimming Work Station?





Al Uzumcu:

al@coilingequipment.com

Cell: 847-910-7348

Gerry Wright:

gerry@coilingequipment.com

Cell: 847-525-8891



Coiling Equipment Newsletter



We have a HMV-Power Reel for sale!

HMV-2000 Power Reel / Decoiler Machine



HMV-2000 Power Reel	
Maximum Wire Diameter	16mm or 0.630"
Maximum Capacity	4,409 LBS.
Table Diameter	5.74 Feet
Height from Floor	2.72 Feet
Height of Skein	2.64 Feet
Rotation Speed	0—60 RPM
Weight	2,866 LBS.
Power Consumption	7.500 Watts

This HMV-2000 is available for immediate delivery

- Contact us for pricing and reserve your machine now!
 - Email Al Uzumcu at al@coilingequipment.com or

Phone: 847-910-7348



Rapid Response!

We recognize that a fast response is important when you have an issue or a need!

We take pride in getting you an answer quickly when you contact us.

Whether you are looking for a replacement part, have a technical question or need a quote for the right machine for your spring making needs—we will provide you with a timely response.

Go to our website, email or call Al or Gerry directly.



Gerry Wright

Al Uzumcu:

al@coilingequipment.com

Cell: 847-910-7348

Gerry Wright:

gerry@coilingequipment.com

Cell: 847-525-8891

https://coilingequipment.com/

Your Rapid Response Team





Many machines and options are available

